

EBG Flow Products, Inc.

301 RED BUD TRAIL | AUSTIN, TX. | 78746

PH. (800) 426-9156

FAX. (800) 435-6629

WWW.EBGFLOW.COM

Pipe Chart

NPS	O.D.	Schedule			Wall	I.D.	weight/ft in LBS
1/8"	0.405"	10		10S	0.049"	0.307"	0.18
1/8"	0.405"	STD	40	40S	0.068"	0.269"	0.24
1/8"	0.405"	XS	80	80S	0.095"	0.215"	0.31
1/4"	0.540"	10		10S	0.065"	0.410"	0.32
1/4"	0.540"	STD	40	40S	0.088"	0.364"	0.42
1/4"	0.540"	XS	80	80S	0.119"	0.302"	0.53
3/8"	0.675"	10		10S	0.065"	0.545"	0.42
3/8"	0.675"	STD	40	40S	0.091"	0.493"	0.56
3/8"	0.675"	XS	80	80S	0.126"	0.423"	0.73
1/2"	0.840"	5		5S	0.065"	0.710"	0.53
1/2"	0.840"	10		10S	0.083"	0.674"	0.67
1/2"	0.840"	STD	40	40S	0.109"	0.622"	0.85
1/2"	0.840"	XS	80	80S	0.147"	0.546"	1.08
1/2"	0.840"	160			0.188"	0.464"	1.30
1/2"	0.840"	XXH			0.294"	0.252"	1.71
3/4"	1.050"	5		5S	0.065"	0.920"	0.68
3/4"	1.050"	10		10S	0.083"	0.884"	0.85
3/4"	1.050"	STD	40	40S	0.113"	0.824"	1.31
3/4"	1.050"	XS	80	80S	0.154"	0.742"	1.47
3/4"	1.050"	160			0.219"	0.612"	1.94
3/4"	1.050"	XXH			0.308"	0.434"	2.44
1"	1.315"	5		5S	0.065"	1.185"	0.86
1"	1.315"	10		10S	0.109"	1.097"	1.40
1"	1.315"	STD	40	40S	0.133"	1.049"	1.67
1"	1.315"	XS	80	80S	0.179"	0.957"	2.17
1"	1.315"	160			0.250"	0.815"	2.84
1"	1.315"	XXH			0.358"	0.599"	3.65
1-1/4"	1.660"	5		5S	0.065"	1.530"	1.10
1-1/4"	1.660"	10		10S	0.109"	1.442"	1.80
1-1/4"	1.660"	STD	40	40S	0.140"	1.380"	2.27
1-1/4"	1.660"	XS	80	80S	0.191"	1.278"	2.99
1-1/4"	1.660"	160			0.250"	1.160"	3.76
1-1/4"	1.660"	XXH			0.382"	0.896"	5.21
1-1/2"	1.900"	5		5S	0.065"	1.770"	1.27
1-1/2"	1.900"	10		10S	0.109"	1.682"	2.08
1-1/2"	1.900"	STD	40	40S	0.145"	1.610"	2.71
1-1/2"	1.900"	XS	80	80S	0.200"	1.500"	3.63
1-1/2"	1.900"	160			0.281"	1.388"	4.85
1-1/2"	1.900"	XXH			0.400"	1.100"	6.40
2"	2.375"	5		5S	0.065"	2.245"	1.60
2"	2.375"	10		10S	0.109"	2.157"	2.63
2"	2.375"	STD	40	40S	0.154"	2.067"	3.65
2"	2.375"	XS	80	80S	0.218"	1.939"	5.02
2"	2.375"	160			0.344"	1.687"	7.46
2"	2.375"	XXH			0.436"	1.503"	9.02
2-1/2"	2.875"	5		5S	0.083"	2.709"	2.47
2-1/2"	2.875"	10		10S	0.120"	2.635"	3.53
2-1/2"	2.875"	STD	40	40S	0.203"	2.469"	5.79
2-1/2"	2.875"	XS	80	80S	0.276"	2.323"	7.66
2-1/2"	2.875"	160			0.375"	2.125"	10.01
2-1/2"	2.875"	XXH			0.552"	1.771"	13.69
3"	3.500"	5		5S	0.083"	3.334"	3.02
3"	3.500"	10		10S	0.120"	3.260"	4.33
3"	3.500"	STD	40	40S	0.216"	3.068"	7.57
3"	3.500"	XS	80	80S	0.300"	2.900"	10.25
3"	3.500"	160			0.438"	2.624"	14.32
3"	3.500"	XXH			0.600"	2.300"	18.58

EBG Flow Products, Inc.

301 RED BUD TRAIL | AUSTIN, TX. | 78746
 PH. (800) 426-9156
 FAX. (800) 435-6629

Pipe Chart

WWW.EBGFLOW.COM

NPS	O.D.	Schedule			Wall	I.D.	weight/ft in LBS
3"	3.500"	5		5S	0.083"	3.334"	3.02
3"	3.500"	10		10S	0.120"	3.260"	4.33
3"	3.500"	STD	40	40S	0.216"	3.068"	7.57
3"	3.500"	XS	80	80S	0.300"	2.900"	10.25
3"	3.500"	160			0.438"	2.624"	14.32
3"	3.500"	XXH			0.600"	2.300"	18.58
3-1/2"	4.000"	5		5S	0.083"	3.834"	3.47
3-1/2"	4.000"	10		10S	0.120"	3.760"	4.97
3-1/2"	4.000"	STD	40	40S	0.226"	3.548"	9.10
3-1/2"	4.000"	XS	80	80S	0.318"	3.364"	12.50
3-1/2"	4.000"	XXH			0.636"	2.728"	22.85
4"	4.500"	5		5S	0.083"	4.334"	3.91
4"	4.500"	10		10S	0.120"	4.260"	5.61
4"	4.500"	STD	40	40S	0.237"	4.026"	10.79
4"	4.500"	XS	80	80S	0.337"	3.826"	14.98
4"	4.500"	120			0.438"	3.624"	19.00
4"	4.500"	160			0.531"	3.438"	22.51
4"	4.500"	XXH			0.674"	3.152"	27.54
5"	5.563"	5		5S	0.109"	5.345"	6.34
5"	5.563"	10		10S	0.134"	5.295"	7.77
5"	5.563"	STD	40	40S	0.258"	5.047"	14.62
5"	5.563"	XS	80	80S	0.375"	4.813"	20.78
5"	5.563"	120			0.500"	4.563"	27.04
5"	5.563"	160			0.625"	4.313"	
5"	5.563"	XXH			0.750"	4.063"	38.55
6"	6.625"	5		5S	0.109	6.407"	7.58
6"	6.625"	10		10S	0.134"	6.357"	9.29
6"	6.625"	STD	40	40S	0.280"	6.065"	18.97
6"	6.625"	XS	80	80S	0.432"	5.761"	28.57
6"	6.625"	120			0.562"	5.501"	36.39
6"	6.625"	160			0.719"	5.187"	45.35
6"	6.625"	XXH			0.864"	4.897"	53.16
8"	8.625"			5S	0.109"	8.407	9.91
8"	8.625"	10		10S	0.148"	8.329"	13.40
8"	8.625"	20			0.250"	8.125"	22.36
8"	8.625"	30			0.277"	8.071"	24.70
8"	8.625"	STD	40	40S	0.322"	7.981"	28.55
8"	8.625"	60			0.406"	7.813"	35.64
8"	8.625"	XS	80	80S	0.500"	7.625"	43.39
8"	8.625"	100			0.594"	7.437"	50.95
8"	8.625"	120			0.719"	7.187"	60.71
8"	8.625"	140			0.812"	7.01"	67.76
8"	8.625"	XXH			0.875"	6.875"	72.42
8"	8.625"	160			0.906"	6.813"	74.69
10"	10.750"			5S	0.134"	10.482"	15.19
10"	10.750"			10S	0.165"	10.420"	18.700
10"	10.750"	20			0.250"	10.250"	28.04
10"	10.750"	30			0.307"	10.136"	34.24
10"	10.750"	STD	40	40S	0.365"	10.020"	40.48
10"	10.750"	XS	60	80S	0.500"	9.750"	54.74
10"	10.750"	80			0.594"	9.562"	64.43
10"	10.750"	100			0.719"	9.312"	77.03
10"	10.750"	120			0.844"	9.062"	89.29
10"	10.750"	140			1.000"	8.750"	104.13
10"	10.750"	160			1.125"	8.500"	115.64

EBG Flow Products, Inc.

Pipe Chart

301 RED BUD TRAIL | AUSTIN, TX. | 78746

PH. (800) 426-9156

FAX. (800) 435-6629

WWW.EBGFLOW.COM

NPS	O.D.	Schedule		Wall	I.D.	weight/ft in LBS	
12"	12.750"			5S	0.156"	12.438"	20.98
12"	12.750"			10S	0.180"	12.390"	24.20
12"	12.750"	20			0.250"	12.250"	33.38
12"	12.750"	30			0.330"	12.090"	43.77
12"	12.750"	STD		40S	0.375	12.000"	49.56
12"	12.750"	40			0.406"	11.938"	53.52
12"	12.750"	XS		80S	0.500"	11.750"	65.42
12"	12.750"	60			0.562"	11.626"	73.15
12"	12.750"	80			0.688"	11.374"	88.63
12"	12.750"	100			0.844"	11.062"	107.32
12"	12.750"	120			1.000"	10.750"	125.49
12"	12.750"	140			1.125"	10.500"	139.67
12"	12.750"	160			1.312"	10.126"	160.27
14"	14.000"			10S	0.188	13.624"	27.73
14"	14.000"	10			0.250"	13.500"	36.71
14"	14.000"	20			0.312"	13.376"	45.61
14"	14.000"	STD	30	40S	0.375"	13.250"	54.57
14"	14.000"	40			0.438"	13.124"	63.44
14"	14.000"	XS		80S	0.500"	13.000"	72.09
14"	14.000"	60			0.594"	12.812"	85.05
14"	14.000"	80			0.750"	12.500"	106.13
14"	14.000"	100			0.938"	12.124"	130.85
14"	14.000"	120			1.094"	11.812"	150.90
14"	14.000"	140			1.250"	11.500"	170.21
14"	14.000"	160			1.406"	11.188"	189.10
16"	16.000"			10S	0.188"	15.624"	31.75
16"	16.000"	10			0.250"	15.500"	42.05
16"	16.000"	20			0.312"	15.376"	52.27
16"	16.000"	STD	30	40S	0.375"	15.250"	62.58
16"	16.000"	XS	40	80S	0.500"	15.000"	82.77
16"	16.000"	60			0.656"	14.688"	107.50
16"	16.000"	80			0.844"	14.312"	136.61
16"	16.000"	100			1.031"	13.938"	164.82
16"	16.000"	120			1.219"	13.562"	192.43
16"	16.000"	140			1.438"	13.124"	223.64
16"	16.000"	160			1.594"	12.812"	245.25
18"	18.000"			10S	0.188"	17.624"	35.76
18"	18.000"	10			0.250"	17.500"	47.39
18"	18.000"	20			0.312"	17.376"	58.94
18"	18.000"	STD		40S	0.375"	17.250"	70.59
18"	18.000"	30			0.438"	17.124"	82.15
18"	18.000"	XS		80S	0.500"	17.000"	93.45
18"	18.000"	40			0.562"	16.876"	104.67
18"	18.000"	60			0.750"	16.500"	138.17
18"	18.000"	80			0.938"	16.124"	170.92
18"	18.000"	100			1.156"	15.688"	207.96
18"	18.000"	120			1.375"	15.250"	244.14
18"	18.000"	140			1.562"	14.876"	274.22
18"	18.000"	160			1.791"	14.438"	308.50
20"	20.000"			10S	0.218"	19.564"	46.06
20"	20.000"	10			0.250"	19.500"	52.73
20"	20.000"	STD	20	40S	0.375"	19.250"	78.60
20"	20.000"	XS	30	80S	0.500"	19.000"	104.13
20"	20.000"	40			0.594"	18.812"	123.11
20"	20.000"	60			0.812"	18.376"	166.40
20"	20.000"	80			1.031"	17.938"	208.87
20"	20.000"	100			1.281"	17.438"	256.10
20"	20.000"	120			1.500"	17.000"	296.37
20"	20.000"	140			1.750"	16.500"	341.09
20"	20.000"	160			1.969"	16.062"	379.17

EBG Flow Products, Inc.

301 RED BUD TRAIL | AUSTIN, TX. | 78746

PH. (800) 426-9156

FAX. (800) 435-6629

WWW.EBGFLOW.COM

Pipe Chart

NPS	O.D.	Schedule		Wall	I.D.	weight/ft in LBS	
22"	22.000"		10	10S	0.250"	21.500"	58.07
22"	22.000"		20	40S	0.375"	21.250"	86.61
22"	22.000"	STD	30	80S	0.500"	21.000"	114.81
22"	22.000"	XS			0.875"	20.250"	197.41
22"	22.000"	60			1.125"	19.750"	250.81
22"	22.000"	80			1.375"	19.250"	302.88
22"	22.000"	100			1.625"	18.750"	353.61
22"	22.000"	120			1.875"	18.250"	403.00
22"	22.000"	140			2.125"	17.750"	451.06
22"	22.000"	160					
24"	24.000"		10	10S	0.250"	23.500"	63.41
24"	24.000"		20	40S	0.375"	23.250"	94.62
24"	24.000"	STD			0.500"	23.000"	125.49
24"	24.000"	XS		80S	0.562"	22.876"	140.68
24"	24.000"	30			0.688"	22.624"	171.29
24"	24.000"	40			0.969"	22.062"	228.35
24"	24.000"	60			1.219"	21.562"	296.58
24"	24.000"	80			1.531"	20.938"	367.39
24"	24.000"	100			1.812"	20.376"	429.93
24"	24.000"	120			2.062"	19.876"	483.10
24"	24.000"	140			2.344"	19.312"	542.13
24"	24.000"	160					
26"	26.000"		10		0.312"	25.376"	85.60
26"	26.000"			40S	0.375"	25.250"	102.63
26"	26.000"	STD		80S	0.500"	25.000"	136.17
26"	26.000"	XS					
28"	28.000"		10		0.312"	27.376"	92.26
28"	28.000"			40S	0.375"	27.250"	110.64
28"	28.000"	STD		80S	0.500"	27.000"	146.85
28"	28.000"		20		0.625"	26.750"	182.73
28"	28.000"		30				
30"	30.000"		10		0.312"	29.376"	98.93
30"	30.000"			40S	0.375"	29.250"	118.65
30"	30.000"	STD		80S	0.500"	29.000"	157.53
30"	30.000"	XS			0.625"	28.750"	196.08
30"	30.000"		20				
30"	30.000"		30				
32"	32.000"		10		0.312"	31.376"	105.59
32"	32.000"			40S	0.375"	31.250"	126.66
32"	32.000"	STD		80S	0.500"	31.000"	168.21
32"	32.000"		20		0.625"	30.750"	209.43
32"	32.000"		30		0.688"	30.264"	230.08
32"	32.000"		40				
34"	34.000"		10		0.312"	33.376"	112.25
34"	34.000"			40S	0.375"	33.250"	134.67
34"	34.000"	STD		80S	0.500"	33.000"	178.89
34"	34.000"		20		0.625"	32.750"	222.78
34"	34.000"		30		0.688"	32.624"	244.70
34"	34.000"		40				
36"	36.000"		10		0.312"	35.376"	118.92
36"	36.000"			40S	0.375"	35.250"	142.68
36"	36.000"	STD		80S	0.500"	35.000"	189.57
36"	36.000"	XS					
42"	42.000"			40S	0.375"	41.250"	166.71
42"	42.000"	STD		80S	0.500"	41.000"	221.61
42"	42.000"	XS			0.625"	40.750"	276.18
42"	42.000"		30		0.750"	40.500"	330.41
42"	42.000"		40				
48"	48.000"			40S	0.375"	47.250"	190.74
48"	48.000"	STD		80S	0.500"	47.000"	253.65
48"	48.000"	XS					